



MCB group sizes SNEP[®] LX

				C10	C13	C16	B10	B13	B16	
LX	1160	LE	On/Off	26	35	43	16	21	26	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	LE	DALI	21	28	36	13	17	22	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	LE	Pull Switch (dimnable with pull cord)	21	28	36	13	17	22	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	LE	ActiveAhead gen2 with sensor	34	45	56	20	26	33	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	LE	Casambi without sensor	34	45	56	20	26	33	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	LE		24	32	40	15	19	24	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	LE		24	32	40	15	19	24	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	LE		24	32	40	15	19	24	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	LE		24	32	40	15	19	24	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	LE		24	32	40	15	19	24	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	LE		24	32	40	15	19	24	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	LE		24	32	40	15	19	24	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	LE		24	32	40	15	19	24	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	LE		24	32	40	15	19	24	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	LE		24	32	40	15	19	24	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	LO1	On/Off	18	24	30	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	LO1	DALI	19	25	31	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	LO1	Pull Switch (dimnable with pull cord)	19	25	31	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	LO1	Casambi without sensor	19	25	31	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60

				C10	C13	C16	B10	B13	B16	
LX	1160	L01		24	32	40	15	19	24	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	L01		24	32	40	15	19	24	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	L01		24	32	40	15	19	24	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	L01		24	32	40	15	19	24	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	L01		24	32	40	15	19	24	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	L01		24	32	40	15	19	24	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	L01		24	32	40	15	19	24	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	L01		24	32	40	15	19	24	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	L01		24	32	40	15	19	24	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	L02	On/Off	16	21	26	9	12	15	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	L02	DALI	16	21	26	10	13	16	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	L02	Pull Switch (dimnable with pull cord)	16	21	26	10	13	16	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	L02	Casambi without sensor	18	24	30	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	L02		20	27	34	12	16	20	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	L02		20	27	34	12	16	20	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	L02		20	27	34	12	16	20	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	L02		20	27	34	12	16	20	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	L02		20	27	34	12	16	20	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	L02		20	27	34	12	16	20	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	L02		20	27	34	12	16	20	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	L02		20	27	34	12	16	20	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	L02		20	27	34	12	16	20	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	L02		20	27	34	12	16	20	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60

				C10	C13	C16	B10	B13	B16	
LX	1160	SUD	Dual channel DALI for separate up and down light	15	20	25	9	12	15	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	SUD	Casambi separate up- and downlight control	15	20	25	9	12	15	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	LE	On/Off	28	36	45	17	22	27	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	LE	DALI	31	40	50	18	24	30	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	LE	Pull Switch (dimnable with pull cord)	31	40	50	18	24	30	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	LE	Casambi without sensor	34	45	56	20	26	33	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	LE		28	36	45	17	22	27	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	LE		28	36	45	17	22	27	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	LE		28	36	45	17	22	27	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	LE		28	36	45	17	22	27	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	LE		28	36	45	17	22	27	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	LE		28	36	45	17	22	27	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	LE		28	36	45	17	22	27	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	LE		28	36	45	17	22	27	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	LE		28	36	45	17	22	27	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	LO	On/Off	16	21	26	9	12	15	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	LO	DALI	18	24	30	11	14	18	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	LO	Pull Switch (dimnable with pull cord)	18	24	30	11	14	18	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	LO	Casambi without sensor	18	24	30	11	14	18	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	LO		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	LO		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	LO		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	LO		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	LO		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	LO		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	LO		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	LO		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60

				C10	C13	C16	B10	B13	B16	
LX	1160	LO		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	HE	DALI Tunable White	39	50	62	24	31	39	JDW80, JDW50, JDB80, JDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	HE	Casambi Tunable White	39	50	62	24	31	39	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	HO	DALI Tunable White	15	20	25	9	12	15	JDW80, JDW50, JDB80, JDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	HO	Casambi Tunable White	15	20	25	9	12	15	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	1160	HE	DALI Tunable White	39	50	62	24	31	39	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	1160	HE	Casambi Tunable White	39	50	62	24	31	39	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LE1	On/Off	18	24	30	11	14	18	JDW80LE, JDW50LE, JDB80LE, JDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE1	DALI	16	21	26	10	13	16	JDW80LE, JDW50LE, JDB80LE, JDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE1	Pull Switch (dimmbable with pull cord)	16	21	26	10	13	16	JDW80LE, JDW50LE, JDB80LE, JDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE1	Casambi without sensor	19	25	31	11	14	18	JDW80LE, JDW50LE, JDB80LE, JDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE1		18	24	30	11	14	18	JDW80LE, JDW50LE, JDB80LE, JDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE1		18	24	30	11	14	18	JDW80LE, JDW50LE, JDB80LE, JDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE1		18	24	30	11	14	18	JDW80LE, JDW50LE, JDB80LE, JDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE1		18	24	30	11	14	18	JDW80LE, JDW50LE, JDB80LE, JDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE1		18	24	30	11	14	18	JDW80LE, JDW50LE, JDB80LE, JDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE1		18	24	30	11	14	18	JDW80LE, JDW50LE, JDB80LE, JDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE1		18	24	30	11	14	18	JDW80LE, JDW50LE, JDB80LE, JDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE1		18	24	30	11	14	18	JDW80LE, JDW50LE, JDB80LE, JDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE

				C10	C13	C16	B10	B13	B16	
LX	2260	LE1		18	24	30	11	14	18	UDW80LE, UDW50LE, UDB80LE, UDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE1		18	24	30	11	14	18	UDW80LE, UDW50LE, UDB80LE, UDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE2	On/Off	13	17	22	8	10	13	UDW80LE, UDW50LE, UDB80LE, UDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE2	DALI	13	17	21	7	10	12	UDW80LE, UDW50LE, UDB80LE, UDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE2	Pull Switch (dimnable with pull cord)	13	17	21	7	10	12	UDW80LE, UDW50LE, UDB80LE, UDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE2	Casambi without sensor	13	17	21	7	10	12	UDW80LE, UDW50LE, UDB80LE, UDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE2		18	24	30	11	14	18	UDW80LE, UDW50LE, UDB80LE, UDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE2		18	24	30	11	14	18	UDW80LE, UDW50LE, UDB80LE, UDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE2		18	24	30	11	14	18	UDW80LE, UDW50LE, UDB80LE, UDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE2		18	24	30	11	14	18	UDW80LE, UDW50LE, UDB80LE, UDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE2		18	24	30	11	14	18	UDW80LE, UDW50LE, UDB80LE, UDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE2		18	24	30	11	14	18	UDW80LE, UDW50LE, UDB80LE, UDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE2		18	24	30	11	14	18	UDW80LE, UDW50LE, UDB80LE, UDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE2		18	24	30	11	14	18	UDW80LE, UDW50LE, UDB80LE, UDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE2		18	24	30	11	14	18	UDW80LE, UDW50LE, UDB80LE, UDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE2		18	24	30	11	14	18	UDW80LE, UDW50LE, UDB80LE, UDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE2		18	24	30	11	14	18	UDW80LE, UDW50LE, UDB80LE, UDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LE2		18	24	30	11	14	18	UDW80LE, UDW50LE, UDB80LE, UDB50LE, UBW75LE, UBW60LE, UBB75LE, UBB60LE
LX	2260	LO1	On/Off	18	24	30	11	14	18	UDW80, UDW50, UDB80, UDB50,

C10 C13 C16 B10 B13 B16

				C10	C13	C16	B10	B13	B16	
										UBW75, UBW60, UBB75, UBB60
LX	2260	L01	DALI	16	21	26	10	13	16	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L01	Pull Switch (dimmmable with pull cord)	16	21	26	10	13	16	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L01	Casambi without sensor	19	25	31	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L01		18	24	30	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L01		18	24	30	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L01		18	24	30	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L01		18	24	30	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L01		18	24	30	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L01		18	24	30	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L01		18	24	30	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L01		18	24	30	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L01		18	24	30	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L01		18	24	30	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L01		18	24	30	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L02	On/Off	13	17	22	8	10	13	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L02	DALI	18	23	28	14	19	24	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L02	Pull Switch (dimmmable with pull cord)	18	23	28	14	19	24	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L02	Casambi without sensor	13	17	21	7	10	12	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L02		18	24	30	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L02		18	24	30	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L02		18	24	30	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L02		18	24	30	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L02		18	24	30	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L02		18	24	30	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L02		18	24	30	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60

C10 C13 C16 B10 B13 B16

										UBW75, UBW60, UBB75, UBB60
LX	2260	L02		18	24	30	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L02		18	24	30	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L02		18	24	30	11	14	18	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L03	On/Off	11	15	19	7	9	11	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L03	DALI	12	16	20	7	9	12	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L03	Pull Switch (dimmbale with pull cord)	12	16	20	7	9	12	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L03		12	16	20	7	9	12	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L03		12	16	20	7	9	12	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L03		12	16	20	7	9	12	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L03		12	16	20	7	9	12	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L03		12	16	20	7	9	12	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L03		12	16	20	7	9	12	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L03		12	16	20	7	9	12	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L03		12	16	20	7	9	12	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L03		12	16	20	7	9	12	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L03		12	16	20	7	9	12	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L03		12	16	20	7	9	12	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	L03		12	16	20	7	9	12	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	HE	DALI Tunable White	39	50	62	24	31	39	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	HE	Casambi Tunable White	39	50	62	24	31	39	UDW80, UDW50, UDB80, UDB50, UBW75, UBW60, UBB75, UBB60
LX	2260	LE	On/Off	19	25	31	11	14	18	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LE	DALI	31	40	50	18	24	30	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LE	Pull Switch (dimmbale with pull cord)	31	40	50	18	24	30	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LE	Casambi without sensor	34	45	56	20	26	33	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LE		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LE		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60

				C10	C13	C16	B10	B13	B16	
LX	2260	LE		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LE		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LE		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LE		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LE		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LE		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LE		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LO1	On/Off	18	24	30	11	14	18	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LO1	DALI	19	25	31	11	14	18	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LO1	Pull Switch (dimmmable with pull cord)	19	25	31	11	14	18	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LO1	Casambi without sensor	19	25	31	11	14	18	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LO1		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LO1		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LO1		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LO1		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LO1		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LO1		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LO1		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LO1		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LO1		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LO1		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LO1		24	32	40	15	19	24	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LO2	On/Off	16	21	26	9	12	15	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LO2	DALI	16	21	26	10	13	16	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LO2	Pull Switch (dimmmable with pull cord)	16	21	26	10	13	16	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LO2	Casambi without sensor	18	24	30	11	14	18	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LO2		20	27	34	12	16	20	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LO2		20	27	34	12	16	20	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LO2		20	27	34	12	16	20	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	LO2		20	27	34	12	16	20	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60

				C10	C13	C16	B10	B13	B16	
LX	2260	L02		20	27	34	12	16	20	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	L02		20	27	34	12	16	20	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	L02		20	27	34	12	16	20	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	L02		20	27	34	12	16	20	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	L02		20	27	34	12	16	20	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	HE	DALI Tunable White	39	50	62	24	31	39	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	HE	Casambi Tunable White	39	50	62	24	31	39	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	HO	DALI Tunable White	15	20	25	9	12	15	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60
LX	2260	HO	Casambi Tunable White	15	20	25	9	12	15	DW80, DW50, DB80, DB50, BW75, BW60, BB75, BB60

The announced circuit breaker group sizes are presenting the lower value from the inrush current and continuous load values. When designing actual group sizes one need to take into account at least the following: cabling, MCB installation environment and the loading of the MCB. Purso Oy is not responsible for the actual group sizes.